AMENDMENTS

In the Specification:

Please amend the specification by accepting the attached Substitute Specification.

Both a Version With Markings to Show Changes Made and Clean Version are submitted herewith.

Amendments made include:

- p. 1, line 21: neglible for negliable
- p. 2, lines 11 and 24: C_nH_{2n+2} for C_nH_{2n+2}
- p. 3, line 6: diastereomers for diastomers
- p. 3, lines 16 and 17-18: -OH for -OH
- p. 4 line 25: cyclopentanophenanthrene for cyclopenantophenanthrene
- p. 4 line 29: diastereomers for diasteromers
- p. 5, line 7: "Terminal phenol group" on the next line for "terminal phenol group" on line 7.
- p. 5, line 12: diastereomer for diasteromer
- p. 7, line 26: hypoxia for hypoxia
- p. 8, line 5: dysrhythmias, arterial for dysrhmias, artrial
- p. 8, line 6: paroxymal for paroxymial
- p. 8, line 9: emphysema for emphysemia
- p. 8, line 12: glomerulonephritis for glomerulomepritis
- p. 8, line 13: aneurisms for anerysms
- p. 8, line 13: hemorrhage for hemorrage
- p. 10, line 15: numbers for number

p. 16, line15: was for were

No new matter has been added to the Substitute Specification. The amendments in the Substitute Specification consist entirely of spelling corrections and corrections of other minor typographical errors such as lack of agreement between verb/noun tense.